

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	710/1ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 10:58
L2	2228	710/2-7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 10:58
L3	1148	710/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 10:59
L4	5	(I/O or input with output) adj2 processor\$4 same manag\$4 adj3 server same control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:00
L5	0	(I/O or input with output) adj2 processor\$4 same manag\$4 adj3 server and ((fail adj safe or failsafe) with timer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:01
L6	12	(I/O or input with output) adj2 processor\$4 and ((fail adj safe or failsafe) with timer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:02
L7	391	(I/O or input with output) and ((fail adj safe or failsafe) with timer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:20
L8	3	2 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:18
L9	0	3 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:01

L10	1	3 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:18
L11	146	(I/O or input with output) with process\$4 and ((fail adj safe or failsafe) with timer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:22
L12	4228	709/223.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:21
L13	4416	709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:21
L14	2	11 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:21
L15	0	11 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:21
L16	18	process\$4 and ((fail adj safe or failsafe) with boot with timer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:25
L17	451	process\$4 and ((fail adj safe or failsafe) with timer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:22
L18	0	13 and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:22
L19	2	12 and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:22

L20	0	process\$4 and ((fail adj safe or failsafe) with timer) and count\$4 and registe\$6 amd (threshold\$4 or expire\$4 or exceed\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:26
L21	136	process\$4 and ((fail adj safe or failsafe) with timer) and count\$4 and registe\$6 and (threshold\$4 or expire\$4 or exceed\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:29
L22	7	process\$4 and ((fail adj safe or failsafe) with timer) and count\$4 and registe\$6 and (threshold\$4 or expire\$4 or exceed\$4) and manag\$4 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:27
L23	114	processor\$2 and ((fail adj safe or failsafe) with timer) and count\$4 and registe\$6 and (threshold\$4 or expire\$4 or exceed\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:31
L24	878	12 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:29
L25	0	13 and 23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:29
L26	2	12 and 23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:29
L27	7	processor\$2 and ((fail adj safe or failsafe) with timer) and count\$4 and registe\$6 and (threshold\$4 or expire\$4 or exceed\$4) and manag\$4 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:31
L28	39	processor\$2 and ((fail adj safe or failsafe) with timer) and count\$4 and registe\$6 and (threshold\$4 or expire\$4 or exceed\$4) and (fail adj safe or failsafe) with reset\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:41
L29	23	processor\$2 and ((fail adj safe or failsafe) with timer) and count\$4 and registe\$6 and (threshold\$4 or expire\$4 or exceed\$4) and (fail adj safe or failsafe) with reset\$4 and boot\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/12 11:41